deepnet
Deep Networks Group

DATA SHEET
DE-STD · SN-MR · Rev. 2026


ON THIS PAGE

Overview
Key figures
Key features
Applications and contents
Size and configuration matrix
Technical drawings
Colour and ordering

CABINET ACCESSORIES

SN-MR Mounting Rails

Set of Mounting Rails for Wall-Mount Cabinets



The mounting rail set is designed for installation inside compatible 19-inch cabinets. The rails provide mounting positions for rack equipment and accessories along the cabinet height.

The rails are manufactured from galvanised steel and feature standard rack mounting openings for equipment installation.

Available heights range from 4U to 24U, depending on the cabinet model. Each set includes two mounting rails and the required mounting hardware.

AT A GLANCE

Product family	**Mounting Rails**
Category	**Cabinet Accessory**
Application	**Indoor**
Mounting type	**Internal Cabinet Mounting**

NUMBERED DETAILS IN THE PHOTO

1. **Galvanised Steel**
   Provides corrosion protection and durability during normal operation.
2. **Rack Mounting Holes**
   Provide standard mounting positions for rack equipment and accessories.
3. **Cabinet Mounting Holes**
   Provide secure attachment of the mounting rail to the cabinet structure.

1 Key figures

Height

4–24 U

Rails per Set

2 pcs

2 Key features

Profiled Construction	Formed profile geometry provides structural rigidity along the full rail height.
Cabinet-Specific Fit	Rail geometry is designed specifically for integration with the construction of the compatible SN-RNK, SN-IRON and SN-LS-E cabinets.
Mechanical Installation	Designed for installation using the supplied mounting hardware.
Replaceable Component Set	Supplied as a separate component set for installation or replacement in compatible cabinets.

TYPICAL APPLICATIONS

- Wall-Mounted Telecom Cabinets — SN-RNK, SN-IRON-RW, SN-IRON-NRW, SN-LS-E, SN-LS-E-2S Series

WHAT'S IN THE BOX

- Mounting Rail — 2 pcs
- Mounting Kit — 1 set (4 screws, 4 nuts)

COMPATIBLE WITH



Wall-mount data cabinets
SN-RNK, SN-IRON, SN-LS-E

3 Size and configuration matrix


Each row lists one set of two mounting rails. Profile width and depth and rail height are given for one rail.

Model	Cabinet series	Cabinet height	Rail profile (W × D) (mm)	Rail height (mm)
SN-RNK-WM-MR-4U-2	**SN-RNK**	**4U**	**39 × 43** mm	**204** mm

Model	Cabinet series	Cabinet height	Rail profile (W × D) (mm)	Rail height (mm)
SN-RNK-WM-MR-6U-2	**SN-RNK**	**6U**	**39 × 43** mm	**293** mm
SN-RNK-WM-MR-9U-2	**SN-RNK**	**9U**	**39 × 43** mm	**426** mm
SN-RNK-WM-MR-12U-2	**SN-RNK**	**12U**	**39 × 43** mm	**560** mm
SN-RNK-WM-MR-15U-2	**SN-RNK**	**15U**	**39 × 43** mm	**693** mm
SN-RNK-WM-MR-18U-2	**SN-RNK**	**18U**	**39 × 43** mm	**826** mm
SN-RNK-WM-MR-22U-2	**SN-RNK**	**22U**	**39 × 43** mm	**1004** mm
SN-IRON-WM-MR-6U-2	**SN-IRON**	**6U**	**25 × 43** mm	**325** mm
SN-IRON-WM-MR-9U-2	**SN-IRON**	**9U**	**25 × 43** mm	**460** mm
SN-IRON-WM-MR-12U-2	**SN-IRON**	**12U**	**25 × 43** mm	**592** mm
SN-IRON-WM-MR-15U-2	**SN-IRON**	**15U**	**25 × 43** mm	**727** mm
SN-IRON-WM-MR-18U-2	**SN-IRON**	**18U**	**25 × 43** mm	**860** mm
SN-IRON-WM-MR-21U-2	**SN-IRON**	**21U**	**25 × 43** mm	**994** mm
SN-IRON-WM-MR-24U-2	**SN-IRON**	**24U**	**25 × 43** mm	**1128** mm
SN-LSE-WM-MR-6U-2	**SN-LS-E**	**6U**	**30 × 46** mm	**323** mm
SN-LSE-WM-MR-9U-2	**SN-LS-E**	**9U**	**30 × 46** mm	**456** mm
SN-LSE-WM-MR-12U-2	**SN-LS-E**	**12U**	**30 × 46** mm	**590** mm
SN-LSE-WM-MR-15U-2	**SN-LS-E**	**15U**	**30 × 46** mm	**724** mm
SN-LSE-WM-MR-18U-2	**SN-LS-E**	**18U**	**30 × 46** mm	**856** mm
SN-LSE-WM-MR-22U-2	**SN-LS-E**	**22U**	**30 × 46** mm	**1035** mm


Dimensions apply to one mounting rail; every set contains two rails. SN-IRON rails fit both SN-IRON-RW and SN-IRON-NRW, SN-LS-E rails fit both SN-LS-E and SN-LS-E-2S.

4 Technical drawings




TOP VIEW — SN-RNK

Top view of the SN-RNK rail profile: a formed profile with a front part, a bend and a flange running into the cabinet depth. Marked dimensions: 39 mm and 25 mm for the front part, 15 mm for the step and 20 mm for the flange.




TOP VIEW — SN-IRON

Top view of the SN-IRON rail profile, the same for SN-IRON-RW and SN-IRON-NRW. Marked dimensions: 25 mm and 25 mm for the front part, 12 mm for the step and 20 mm for the flange.



TOP VIEW — SN-LS-E

Top view of the SN-LS-E rail profile, the same for SN-LS-E and SN-LS-E-2S. Marked dimensions: 29.5 mm and 25 mm for the front part, 12.5 mm for the step and 22.5 mm for the flange.



GENERAL VIEW

Isometric view of a pair of SN-RNK mounting rails: two formed rails with a row of rack mounting openings along the upright flange of each and a mounting hole with a bolt and nut at each end. No dimensions are marked.

5 Colour and ordering

Available finishes

Galvanised
Unpainted galvanised steel

Ordering code

`SN-[S]-WM-MR-[U]U-2`

`SN-[S]`

Cabinet series — SN-RNK; SN-IRON for SN-IRON-RW and SN-IRON-NRW; SN-LS-E for SN-LS-E and SN-LS-E-2S — SN-RNK, SN-IRON, SN-LS-E

`WM`

Wall-mounted

`MR`

Mounting rails

`[U]`

Cabinet height in U — see the matrix for the heights of each series

`2`

2 rails per set

EXAMPLE `SN-RNK-WM-MR-6U-2`

Set of mounting rails for an SN-RNK wall-mount cabinet, 6U, 2 rails per set.

Made in Europe

Powered by SteelNet

DeepNet Europe Sp. z o.o.
ul. Szczecińska 16 G, 05-300 Mińsk Mazowiecki, Poland
info@deepnet.pl · deepneteu.app (https://deepneteu.app)